

SKYSOL®

SKYSOL® was specifically designed for the aircraft industry as a hydraulic fluid remover and general solvent cleaner. SKYSOL® is a state of the art solvent designed to help users break out of the tangle of regulations regarding emissions, disposal, and industrial health hazards.

SKYSOL® has a low vapor pressure to control VOC emissions. It is non-carcinogenic and contains no ingredients listed by SARA, Title III, Sections 302 and 313, CERCLA, and RCRA. Worker exposure is not regulated by the OSHA Z list.

SKYSOL® enjoys the following specifications:

FORD MOTOR COMPANY

- **Supplier Code R77UA**
- **TOX #1349181**

U.S. ARMY

- **TB 43-0135**—Recommended substitute for ozone depleting substances used on communications-electronics equipment
- **APC Tech Message #92**—Authorizes SKYSOL® as an environmentally compliant replacement for PD-680, Type I and Type II for cleaning U.S. Army weapons, ground vehicles, equipment, and aviation materials
- **TACOM**—Meets military specification for MIL PRF-680, Type IV

Physical/Chemical Characteristics:

Initial Boiling Point:	340°F	Appearance & Odor:	Clear with mild citrus odor
Vapor Pressure (mmHg @ 25°C):	<2	Specific Gravity (H ₂ O = 1):	.77
Vapor Density (air = 1):	>4	Volatile by Volume:	100%
Evaporation Rate (n-Butyl Acetate = 1):	<.1	Flash Point:	152°F (PMCC)
		Solubility:	Not Water Soluble

National Stock Numbers:

6850-01-381-4420—5 gallon can
6850-01-381-2719—55 gallon drum